

Description

With the world's highest channel density, the [VRC7032](#) PCI Express Digital Video Recorder (DVR) add-in card features three Stretch S7100 software configurable processors and performs H.264 encoding on 32 channels of standard definition video at full resolution and frame rate. Extensive video preprocessing coupled with the power of the Stretch High Profile CODEC gives the VRC7032 the best video quality in the industry.

At equivalent quality levels, VRC7032-compressed streams have one-half the bit rate of those produced by competitors' solutions. This results in a 50% reduction in storage costs for surveillance installations using the VRC7032. The Stretch Scalable Video CODEC (SVC) provides ultimate flexibility by delivering video over constrained bandwidth networks and allows the stored video to be managed over time, further reducing storage costs.

The VRC7032 provides two channels of standard definition spot monitor output and can perform scaling and tiling of video into any user-defined arrangement for display. Its high bandwidth PCIe interface allows connectivity with host systems.

FEATURES


- 32 Channel H.264 High Profile encoding
- SVC for ultimate flexibility
- Industry's best video quality
- Rich and intuitive API
- Linux and Windows SDK

BENEFITS

- Low system bills of materials
- Low bit rate for reduced storage costs
- High quality video archive
- Fast time to market
- Plug-and-play compatibility

APPLICATIONS

- PC-based Digital Video Recorder (DVR)
- Hybrid Network Video Recorders (H-NVR)



It also supports 16 channels of alarm input–output and an RS485 interface for remote camera control through an I/O header. The card also has a debug connector for UART and JTAG interfaces, which facilitates hardware and software debugging.

The VRC7032 features Stretch’s standard Application Programming Interface (API), ensuring plug and play compatibility with existing Stretch installations and rapid porting of third-party applications. The VRC7032 is available as production-ready OEM units for volume production, and has an Evaluation Kit (EVK). EVKs are intended for evaluation purposes.

Ordering Information⁽¹⁾

| Part Number | Minimum Order Multiple | Description |
|---------------|------------------------|------------------------------|
| OEM - VRC7032 | 20 | 32-Channel PCIe DVR OEM card |
| EVK-VRC7032 | - | VRC7032 Evaluation Kit |

NOTE:

1. Refer to www.exar.com/VRC7032 for most up-to-date Ordering Information.

Please contact videotechsupport@exar.com to request a complete datasheet.



www.exar.com

48720 Kato Road
Fremont, CA 94538
USA

Tel.: +1 (510) 668-7000
Fax: +1 (510) 668-7001

Email: videotechsupport@exar.com

Exar Corporation reserves the right to make changes to the products contained in this publication in order to improve design, performance or reliability. Exar Corporation conveys no license under any patent or other right and makes no representation that the circuits are free of patent infringement. While the information in this publication has been carefully checked, no responsibility, however, is assumed for inaccuracies.

Exar Corporation does not recommend the use of any of its products in life support applications where the failure or malfunction of the product can reasonably be expected to cause failure of the life support system or to significantly affect its safety or effectiveness. Products are not authorized for use in such applications unless Exar Corporation receives, in writing, assurances to its satisfaction that: (a) the risk of injury or damage has been minimized; (b) the user assumes all such risks; (c) potential liability of Exar Corporation is adequately protected under the circumstances.

Reproduction, in part or whole, without the prior written consent of Exar Corporation is prohibited. Exar, XR and the XR logo are registered trademarks of Exar Corporation. All other trademarks are the property of their respective owners.