




PRODUCT CHANGE NOTICE (PCN)

PART NUMBER(S): Refer to Attachment A	PCN No.: 11-0808-02 DATE: August 23, 2011																		
PART DESCRIPTION: Please refer to www.exar.com																			
LEVEL OF CHANGE: <input type="checkbox"/> Level I, Customer Approval. <input checked="" type="checkbox"/> Level II, Customer Information.																			
PRODUCT ATTRIBUTE AFFECTED: <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> <input type="checkbox"/> Material Change <input type="checkbox"/> Design Change <input type="checkbox"/> Process Change </td> <td style="width: 50%; vertical-align: top;"> <input type="checkbox"/> Data Sheet Change <input type="checkbox"/> Package Change <input type="checkbox"/> Packing / Shipping </td> </tr> </table> <input checked="" type="checkbox"/> Other, Explain: Standardization of MSL rating		<input type="checkbox"/> Material Change <input type="checkbox"/> Design Change <input type="checkbox"/> Process Change	<input type="checkbox"/> Data Sheet Change <input type="checkbox"/> Package Change <input type="checkbox"/> Packing / Shipping																
<input type="checkbox"/> Material Change <input type="checkbox"/> Design Change <input type="checkbox"/> Process Change	<input type="checkbox"/> Data Sheet Change <input type="checkbox"/> Package Change <input type="checkbox"/> Packing / Shipping																		
DESCRIPTION OF THE PROPOSED CHANGE: Moisture Sensitivity Level of both EXAR and ex- Sipex parts are adjusted to have the same rating when they share the same package types &/or lead counts. There will be no change to Form, Fit or Function as stated in the applicable data sheets. Any shipment after the implementation date (Nov 15, 2011) having the old MSL rating will be identified with a "B.C" (before change) sticker as follows. Sticker will be placed next to barcode label.																			
	<table border="1" style="width: 100%; border-collapse: collapse; text-align: left;"> <thead> <tr style="background-color: #cccccc;"> <th style="text-align: left;">PACKAGE TYPES</th> <th style="text-align: left;">LEAD COUNT</th> </tr> </thead> <tbody> <tr><td>SSOP</td><td>20 Lead</td></tr> <tr><td>NSOIC</td><td>14 Lead</td></tr> <tr><td>WSOIC</td><td>16/20/24/28 Lead</td></tr> <tr><td>QFN</td><td>16/24/28/32/40/48 /64 Lead</td></tr> <tr><td>TQFN</td><td>40 Lead</td></tr> <tr><td>TQFP</td><td>48/100 Lead</td></tr> <tr><td>LQFP</td><td>44/48/52/64/80/100/128/144 Lead</td></tr> <tr><td>QFP</td><td>64/100 Lead</td></tr> </tbody> </table>	PACKAGE TYPES	LEAD COUNT	SSOP	20 Lead	NSOIC	14 Lead	WSOIC	16/20/24/28 Lead	QFN	16/24/28/32/40/48 /64 Lead	TQFN	40 Lead	TQFP	48/100 Lead	LQFP	44/48/52/64/80/100/128/144 Lead	QFP	64/100 Lead
PACKAGE TYPES	LEAD COUNT																		
SSOP	20 Lead																		
NSOIC	14 Lead																		
WSOIC	16/20/24/28 Lead																		
QFN	16/24/28/32/40/48 /64 Lead																		
TQFN	40 Lead																		
TQFP	48/100 Lead																		
LQFP	44/48/52/64/80/100/128/144 Lead																		
QFP	64/100 Lead																		

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION.



PRODUCT CHANGE NOTICE

REASON FOR CHANGE:

Post merger standardization of Exar and ex-Sipex.

DATE OF SAMPLES AVAILABLE:

N/A

DATE OF QUALIFICATION COMPLETED:

N/A

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

ESTIMATED CHANGE DATE OR DATE CODE: 11/15/2011	SUPPORTING DATA: Internal documents
<input checked="" type="checkbox"/> STANDARD DISTRIBUTION	<input type="checkbox"/> CUSTOM DISTRIBUTION
PERSON TO CONTACT WITH QUESTIONS: LISA BEDARD Exar Corporation 1 Holiday Avenue West Tower, Suite 450 Pointe-Claire, Quebec H9R 5N3 Tel: (514) 429-1010 ext 210 Fax: (514) 695-2548 lisa.bedard@exar.com	
Please acknowledge receipt of this PCN.	

Acknowledged:

Signature

Printed Name

Company

Title

Date

Comments: _____

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

ATTACHMENT A

MSL (MOISTURE SENSITIVITY LEVEL) RATING STANDARDIZATION

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
XRD9826ACU-F	SSOP	20	1	2
XRD9827ACU-F	SSOP	20	1	2
XRD9827ACUTR-F	SSOP	20	1	2
XR2211ACD-F	NSOIC	14	1	2
XR2211ACDTR-F	NSOIC	14	1	2
XRT59L91ID-F	WSOIC	16	1	3
XRT59L91IDTR-F	WSOIC	16	1	3
XRT6164AID-F	WSOIC	16	1	3
XRT6164AIDTR-F	WSOIC	16	1	3
XRT6164CD-F	WSOIC	16	1	3
XRT6164CDTR-F	WSOIC	16	1	3
XRD98L23ACD-F	WSOIC	20	1	3
XRD98L23ACDTR-F	WSOIC	20	1	3
XRD8785AID-F	WSOIC	24	1	3
XRD8785AIDTR-F	WSOIC	24	1	3
XRT6165CD-F	WSOIC	24	1	3
XRT6165CDTR-F	WSOIC	24	1	3
XRT6166CD-F	WSOIC	28	1	3
XRT6166CDTR-F	WSOIC	28	1	3
XRT6166ID-F	WSOIC	28	1	3
XRT6166IDTR-F	WSOIC	28	1	3
XR20M1170IL16-F	QFN	16 (4x4mm)	1	2
XR20M1170IL16TR-F	QFN	16 (4x4mm)	1	2
XRT8010IL-F	QFN	16 (4x4mm)	1	2
XRT8020IL-F	QFN	16 (4x4mm)	1	2
XR16L570IL24-F	QFN	24 (4x4mm)	1	2
XR16L570IL24TR-F	QFN	24 (4x4mm)	1	2
XR16L580IL24-F	QFN	24 (4x4mm)	1	2
XR16L580IL24TR-F	QFN	24 (4x4mm)	1	2
XR16M570IL24-F	QFN	24 (4x4mm)	1	2
XR16M570IL24TR-F	QFN	24 (4x4mm)	1	2

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
XR16M770IL24-F	QFN	24 (4x4mm)	1	2
XR16M770IL24TR-F	QFN	24 (4x4mm)	1	2
XR16M781IL24-F	QFN	24 (4x4mm)	1	2
XR16M781IL24TR-F	QFN	24 (4x4mm)	1	2
XR20M1170IL24-F	QFN	24 (4x4mm)	1	2
XR20M1170IL24TR-F	QFN	24 (4x4mm)	1	2
XR16L2550IL-F	QFN	32 (5x5mm)	1	2
XR16L2550ILTR-F	QFN	32 (5x5mm)	1	2
XR16L2551IL-F	QFN	32 (5x5mm)	1	2
XR16L2551ILTR-F	QFN	32 (5x5mm)	1	2
XR16L580IL-F	QFN	32 (5x5mm)	1	2
XR16L580ILTR-F	QFN	32 (5x5mm)	1	2
XR16M781IL32-F	QFN	32 (5x5mm)	1	2
XR16M781IL32TR-F	QFN	32 (5x5mm)	1	2
XR21V1412IL32-F	QFN	32 (5x5mm)	1	2
XR21V1412IL32TR-F	QFN	32 (5x5mm)	1	2
XR16M570IL32-F	QFN	32 (5x5mm)	1	2
XR16M570IL32TR-F	QFN	32 (5x5mm)	1	2
XR16M890IL32-F	QFN	32 (5x5mm)	1	2
XR16M890IL32TR-F	QFN	32 (5x5mm)	1	2
XR20M1280IL32-F	QFN	32 (5x5mm)	1	2
XR20M1280IL32TR-F	QFN	32 (5x5mm)	1	2
XR16L570IL32-F	QFN	32 (5x5mm)	1	2
XR16L570IL32TR-F	QFN	32 (5x5mm)	1	2
XR16M2550IL32-F	QFN	32 (5x5mm)	1	2
XR16M2550IL32TR-F	QFN	32 (5x5mm)	1	2
XR16M2551IL32-F	QFN	32 (5x5mm)	1	2
XR16M2551IL32TR-F	QFN	32 (5x5mm)	1	2
XR16M752IL32-F	QFN	32 (5x5mm)	1	2
XR16M752IL32TR-F	QFN	32 (5x5mm)	1	2
XR16V2550IL-F	QFN	32 (5x5mm)	1	2
XR16V2550ILTR-F	QFN	32 (5x5mm)	1	2
XR16V2552IL-F	QFN	32 (5x5mm)	1	2

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
XR16V2552ILTR-F	QFN	32 (5x5mm)	1	2
XR16V2750IL-F	QFN	32 (5x5mm)	1	2
XR16V2750ILTR-F	QFN	32 (5x5mm)	1	2
XR20M1172IL32-F	QFN	32 (5x5mm)	1	2
XR20M1172IL32TR-F	QFN	32 (5x5mm)	1	2
XR16M890IL40-F	QFN	40 (6x6mm)	2a	3
XR16M890IL40TR-F	QFN	40 (6x6mm)	2a	3
XR20M1280IL40-F	QFN	40 (6x6mm)	2a	3
XR20M1280IL40TR-F	QFN	40 (6x6mm)	2a	3
XR19L210IL40-F	QFN	40 (6x6mm)	2a	3
XR19L210IL40TR-F	QFN	40 (6x6mm)	2a	3
XR19L400IL40TR-F	QFN	40 (6x6mm)	2a	3
XR20V2170IL40-F	QFN	40 (6x6mm)	2a	3
XR20V2170IL40TR-F	QFN	40 (6x6mm)	2a	3
XR16M654IL48-F	QFN	48 (6x6mm)	2a	3
XR16M654IL48TR-F	QFN	48 (6x6mm)	2a	3
XR16V554IL-F	QFN	48 (6x6mm)	2a	3
XR16V554ILTR-F	QFN	48 (6x6mm)	2a	3
XR16V654IL-F	QFN	48 (6x6mm)	2a	3
XR16V654ILTR-F	QFN	48 (6x6mm)	2a	3
XR16V564IL-F	QFN	48 (6x6mm)	2a	3
XR16V564ILTR-F	QFN	48 (6x6mm)	2a	3
XR20V2172IL64-F	QFN	64 (9x9mm)	2a	3
XR20V2172IL64TR-F	QFN	64 (9x9mm)	2a	3
XRP7704ILB-F	TQFN	40 (6x6mm)	2	3
XRP7704ILBTR-F	TQFN	40 (6x6mm)	2	3
XRP7714ILB-F	TQFN	40 (6x6mm)	2	3
XRP7714ILBTR-F	TQFN	40 (6x6mm)	2	3
XRP7740ILB-F	TQFN	40 (6x6mm)	2	3
XRP7740ILBTR-F	TQFN	40 (6x6mm)	2	3
ST16C1450CQ48-F	TQFP	48 (7x7mm)	1	3
ST16C1450CQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C1550CQ48-F	TQFP	48 (7x7mm)	1	3

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
ST16C1550CQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C1550IQ48-F	TQFP	48 (7x7mm)	1	3
ST16C1550IQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C1551CQ48-F	TQFP	48 (7x7mm)	1	3
ST16C1551CQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C450CQ48-F	TQFP	48 (7x7mm)	1	3
ST16C450CQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C450IQ48-F	TQFP	48 (7x7mm)	1	3
ST16C450IQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C550CQ48-F	TQFP	48 (7x7mm)	1	3
ST16C550CQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C550IQ48-F	TQFP	48 (7x7mm)	1	3
ST16C550IQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C580CQ48-F	TQFP	48 (7x7mm)	1	3
ST16C580CQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C580IQ48-F	TQFP	48 (7x7mm)	1	3
ST16C580IQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C650ACQ48-F	TQFP	48 (7x7mm)	1	3
ST16C650ACQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C650AIQ48-F	TQFP	48 (7x7mm)	1	3
ST16C650AIQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C650CQ48-F	TQFP	48 (7x7mm)	1	3
XR16C2850CM-F	TQFP	48 (7x7mm)	1	3
XR16C2850CMTR-F	TQFP	48 (7x7mm)	1	3
XR16C2850IM-F	TQFP	48 (7x7mm)	1	3
XR16C2850IMTR-F	TQFP	48 (7x7mm)	1	3
XR16C850CM-F	TQFP	48 (7x7mm)	1	3
XR16C850CMTR-F	TQFP	48 (7x7mm)	1	3
XR16C850IM-F	TQFP	48 (7x7mm)	1	3
XR16C850IMTR-F	TQFP	48 (7x7mm)	1	3
XR16L2552IM-F	TQFP	48 (7x7mm)	1	3
XR16L2552IMTR-F	TQFP	48 (7x7mm)	1	3
XR16L2750CM-F	TQFP	48 (7x7mm)	1	3

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
XR16L2750CMTR-F	TQFP	48 (7x7mm)	1	3
XR16L2750IM-F	TQFP	48 (7x7mm)	1	3
XR16L2750IMTR-F	TQFP	48 (7x7mm)	1	3
XR16L2751CM-F	TQFP	48 (7x7mm)	1	3
XR16L2751CMTR-F	TQFP	48 (7x7mm)	1	3
XR16L2751IM-F	TQFP	48 (7x7mm)	1	3
XR16L2751IMTR-F	TQFP	48 (7x7mm)	1	3
XR16L580IM-F	TQFP	48 (7x7mm)	1	3
XR16L580IMTR-F	TQFP	48 (7x7mm)	1	3
XR16L651CM-F	TQFP	48 (7x7mm)	1	3
XR16L651CMTR-F	TQFP	48 (7x7mm)	1	3
XR16L651IM-F	TQFP	48 (7x7mm)	1	3
XR16M651IMTR-F	TQFP	48 (7x7mm)	1	3
XR16M2550IM48-F	TQFP	48 (7x7mm)	1	3
XR16M2550IM48TR-F	TQFP	48 (7x7mm)	1	3
XR16M2751IM48-F	TQFP	48 (7x7mm)	1	3
XR16M2751IM48TR-F	TQFP	48 (7x7mm)	1	3
XR16M752IM48-F	TQFP	48 (7x7mm)	1	3
XR16M752IM48TR-F	TQFP	48 (7x7mm)	1	3
XR16V2550IM-F	TQFP	48 (7x7mm)	1	3
XR16V2550IMTR-F	TQFP	48 (7x7mm)	1	3
XR16V2750IM-F	TQFP	48 (7x7mm)	1	3
XR16V2750IMTR-F	TQFP	48 (7x7mm)	1	3
XR16V2751IM-F	TQFP	48 (7x7mm)	1	3
XR16V2751IMTR-F	TQFP	48 (7x7mm)	1	3
XR68M752IM48-F	TQFP	48 (7x7mm)	1	3
XR68M752IM48TR-F	TQFP	48 (7x7mm)	1	3
ST16C2450CQ48-F	TQFP	48 (7x7mm)	1	3
ST16C2450CQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C2450IQ48-F	TQFP	48 (7x7mm)	1	3
ST16C2450IQ48TR-F	TQFP	48 (7x7mm)	1	3
ST16C2550CQ48-F	TQFP	48 (7x7mm)	1	3
ST16C2550CQ48TR-F	TQFP	48 (7x7mm)	1	3

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
ST16C2550IQ48-F	TQFP	48 (7x7mm)	1	3
ST16C2550IQ48TR-F	TQFP	48 (7x7mm)	1	3
XR16C2550IM-F	TQFP	48 (7x7mm)	1	3
XR16C2550IMTR-F	TQFP	48 (7x7mm)	1	3
XR16L2550IM-F	TQFP	48 (7x7mm)	1	3
XR16L2550IMTR-F	TQFP	48 (7x7mm)	1	3
XR16L2551IM-F	TQFP	48 (7x7mm)	1	3
XR16L2551IMTR-F	TQFP	48 (7x7mm)	1	3
XR16M580IM48-F	TQFP	48 (7x7mm)	1	3
XR16M580IM48TR-F	TQFP	48 (7x7mm)	1	3
XR21V1414IM48-F	TQFP	48 (7x7mm)	1	3
XR21V1414IM48TR-F	TQFP	48 (7x7mm)	1	3
XR16M890IM48-F	TQFP	48 (7x7mm)	1	3
XR16M890IM48TR-F	TQFP	48 (7x7mm)	1	3
XR17V252IM-F	TQFP	100 (14x14mm)	2a	3
XR17V252IMTR-F	TQFP	100 (14x14mm)	2a	3
XR68C192CV-F	LQFP	44 (10x10mm)	2a	3
XR68C192CVTR-F	LQFP	44 (10x10mm)	2a	3
XR68C192IV-F	LQFP	44 (10x10mm)	2a	3
XR68C192IVTR-F	LQFP	44 (10x10mm)	2a	3
XR68C92CV-F	LQFP	44 (10x10mm)	2a	3
XR68C92CVTR-F	LQFP	44 (10x10mm)	2a	3
XR68C92IV-F	LQFP	44 (10x10mm)	2a	3
XR68C92IVTR-F	LQFP	44 (10x10mm)	2a	3
XR88C192CV-F	LQFP	44 (10x10mm)	2a	3
XR88C192CVTR-F	LQFP	44 (10x10mm)	2a	3
XR88C192IV-F	LQFP	44 (10x10mm)	2a	3
XR88C192IVTR-F	LQFP	44 (10x10mm)	2a	3
XR88C92CV-F	LQFP	44 (10x10mm)	2a	3
XR88C92CVTR-F	LQFP	44 (10x10mm)	2a	3
XR88C92IV-F	LQFP	44 (10x10mm)	2a	3
XR88C92IVTR-F	LQFP	44 (10x10mm)	2a	3

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
XRT73LC00AIV	LQFP	44 (10x10mm)	2a	3
XRT73LC00AIVTR	LQFP	44 (10x10mm)	2a	3
XRT73LC00AIV-F	LQFP	44 (10x10mm)	2a	3
XRT73LC00AIVTR-F	LQFP	44 (10x10mm)	2a	3
XRT7300IV	LQFP	44 (10x10mm)	2a	3
XRT7300IVTR	LQFP	44 (10x10mm)	2a	3
XRT7300IV-F	LQFP	44 (10x10mm)	2a	3
XRT7300IVTR-F	LQFP	44 (10x10mm)	2a	3
XRD98L61AIV-F	LQFP	48 (7x7mm)	1	3
XRD98L62ACV-F	LQFP	48 (7x7mm)	1	3
XRD98L63AIV-F	LQFP	48 (7x7mm)	1	3
XRT75L00DIV	LQFP	52 (10x10mm)	2a	3
XRT75L00DIV-F	LQFP	52 (10x10mm)	2a	3
XRT75L00DIVTR-F	LQFP	52 (10x10mm)	2a	3
XRT75L00IV	LQFP	52 (10x10mm)	2a	3
XRT75L00IV-F	LQFP	52 (10x10mm)	2a	3
XRT75L00IVTR-F	LQFP	52 (10x10mm)	2a	3
XRT75VL00DIV	LQFP	52 (10x10mm)	2a	3
XRT75VL00DIVTR	LQFP	52 (10x10mm)	2a	3
XRT75VL00DIV-F	LQFP	52 (10x10mm)	2a	3
XRT75VL00DIVTR-F	LQFP	52 (10x10mm)	2a	3
XRT75VL00IV	LQFP	52 (10x10mm)	2a	3
XRT75VL00IVTR	LQFP	52 (10x10mm)	2a	3
XRT75VL00IV-F	LQFP	52 (10x10mm)	2a	3
XRT75VL00IVTR-F	LQFP	52 (10x10mm)	2a	3
XR16C854CV-F	LQFP	64 (10x10mm)	2a	3
XR16C854CVTR-F	LQFP	64 (10x10mm)	2a	3
XR16C854DCV-F	LQFP	64 (10x10mm)	2a	3
XR16C854DCVTR-F	LQFP	64 (10x10mm)	2a	3
XR16C854DIV-F	LQFP	64 (10x10mm)	2a	3
XR16C854DIVTR-F	LQFP	64 (10x10mm)	2a	3
XR16C854IV-F	LQFP	64 (10x10mm)	2a	3
XR16C854IVTR-F	LQFP	64 (10x10mm)	2a	3

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
XR16L784CV-F	LQFP	64 (10x10mm)	2a	3
XR16L784CVTR-F	LQFP	64 (10x10mm)	2a	3
XR16L784IV-F	LQFP	64 (10x10mm)	2a	3
XR16L784IVTR-F	LQFP	64 (10x10mm)	2a	3
XR16V794IV-F	LQFP	64 (10x10mm)	2a	3
XR16V794IVTR-F	LQFP	64 (10x10mm)	2a	3
XRD64L43AIV-F	LQFP	64 (10x10mm)	2a	3
XRD64L43AIVTR-F	LQFP	64 (10x10mm)	2a	3
XRT5894IV-F	LQFP	64 (10x10mm)	2a	3
XRT5894IVTR-F	LQFP	64 (10x10mm)	2a	3
XRT71D03DIV-F	LQFP	64 (10x10mm)	2a	3
XRT71D03DIVTR-F	LQFP	64 (10x10mm)	2a	3
XRT83L30IV-F	LQFP	64 (10x10mm)	2a	3
XRT83L30IVTR-F	LQFP	64 (10x10mm)	2a	3
XRT83SL30IV-F	LQFP	64 (10x10mm)	2a	3
XRT83SL30IVTR-F	LQFP	64 (10x10mm)	2a	3
XR16V554IV80-F	LQFP	80 (12x12mm)	2a	3
XR16V554IV80TR-F	LQFP	80 (12x12mm)	2a	3
XR16V564IV80-F	LQFP	80 (12x12mm)	2a	3
XR16V564IV80TR-F	LQFP	80 (12x12mm)	2a	3
XR16V654IV80-F	LQFP	80 (12x12mm)	2a	3
XR16V654IV80TR-F	LQFP	80 (12x12mm)	2a	3
XR16M554IV80-F	LQFP	80 (12x12mm)	2a	3
XR16M554IV80TR-F	LQFP	80 (12x12mm)	2a	3
XRT71D04IV	LQFP	80 (12x12mm)	2a	3
XRT71D04IVTR	LQFP	80 (12x12mm)	2a	3
XRT86VL30IV80-F	LQFP	80 (12x12mm)	2a	3
XRT5793IV-F	LQFP	80 (12x12mm)	2a	3
XRT5793IVTR-F	LQFP	80 (12x12mm)	2a	3
SP503CM-L	LQFP	80 (14x14mm)	4	3
SP503EM-L	LQFP	80 (14x14mm)	4	3
SP504MCM-L	LQFP	80 (14x14mm)	4	3
SP505ACM-L	LQFP	80 (14x14mm)	4	3

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
SP505BCM-L	LQFP	80 (14x14mm)	4	3
SP506CM-L	LQFP	80 (14x14mm)	4	3
SP507CM-L	LQFP	80 (14x14mm)	4	3
XRT5997IV-F	LQFP	100 (14x14mm)	2a	3
XRT5997IVTR-F	LQFP	100 (14x14mm)	2a	3
XRT73L02MIV-F	LQFP	100 (14x14mm)	2a	3
XRT73L02MIVTR-F	LQFP	100 (14x14mm)	2a	3
XRT75L02IV-F	LQFP	100 (14x14mm)	2a	3
XRT75L02IVTR-F	LQFP	100 (14x14mm)	2a	3
XRT82L24AIV-F	LQFP	100 (14x14mm)	2a	3
SP3508CF-L	LQFP	100 (14x14mm)	4	3
SP3508EF-L	LQFP	100 (14x14mm)	4	3
SP508CF-L	LQFP	100 (14x14mm)	4	3
SP508EF-L	LQFP	100 (14x14mm)	4	3
SP509CF-L	LQFP	100 (14x14mm)	4	3
SP510CM-L	LQFP	100 (14x14mm)	4	3
SP510EM-L	LQFP	100 (14x14mm)	4	3
XRT86VL30IV-F	LQFP	128 (14x20mm)	2a	3
XRT59N97IV-F	LQFP	128 (14x20mm)	2a	3
XRT75R03DIV	LQFP	128 (14x20mm)	2a	3
XRT75R03DIVTR	LQFP	128 (14x20mm)	2a	3
XRT75R03DIV-F	LQFP	128 (14x20mm)	2a	3
XRT75R03DIVTR-F	LQFP	128 (14x20mm)	2a	3
XRT75R03IV	LQFP	128 (14x20mm)	2a	3
XRT75R03IVTR	LQFP	128 (14x20mm)	2a	3
XRT75R03IV-F	LQFP	128 (14x20mm)	2a	3
XRT75R03IVTR-F	LQFP	128 (14x20mm)	2a	3
XRT81L27IV	LQFP	128 (14x20mm)	2a	3
XRT81L27IV-F	LQFP	128 (14x20mm)	2a	3
XRT83L34IV	LQFP	128 (14x20mm)	2a	3
XRT83L34IVTR	LQFP	128 (14x20mm)	2a	3
XRT83L34IV-F	LQFP	128 (14x20mm)	2a	3
XRT83L34IVTR-F	LQFP	128 (14x20mm)	2a	3

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
XRT86L30IV	LQFP	128 (14x20mm)	2a	3
XRT86L30IV-F	LQFP	128 (14x20mm)	2a	3
XR17V254IV-F	LQFP	144 (20x20mm)	2a	3
XR17V254IVTR-F	LQFP	144 (20x20mm)	2a	3
XR17V258IV-F	LQFP	144 (20x20mm)	2a	3
XR17V258IVTR-F	LQFP	144 (20x20mm)	2a	3
XR17C154CV-F	LQFP	144 (20x20mm)	2a	3
XR17C154CVTR-F	LQFP	144 (20x20mm)	2a	3
XR17C158CV-F	LQFP	144 (20x20mm)	2a	3
XR17C158CVTR-F	LQFP	144 (20x20mm)	2a	3
XR17C158IV-F	LQFP	144 (20x20mm)	2a	3
XR17C158IVTR-F	LQFP	144 (20x20mm)	2a	3
XR17D154CV-F	LQFP	144 (20x20mm)	2a	3
XR17D154CVTR-F	LQFP	144 (20x20mm)	2a	3
XR17D154IV-F	LQFP	144 (20x20mm)	2a	3
XR17D154IVTR-F	LQFP	144 (20x20mm)	2a	3
XR17D158CV-F	LQFP	144 (20x20mm)	2a	3
XR17D158CVTR-F	LQFP	144 (20x20mm)	2a	3
XR17D158IV	LQFP	144 (20x20mm)	2a	3
XR17D158IV-F	LQFP	144 (20x20mm)	2a	3
XR17D158IVTR-F	LQFP	144 (20x20mm)	2a	3
XRT83SL28IV-F	LQFP	144 (20x20mm)	2a	3
XRT91L30IQ	QFP	64 (10x10mm)	1	3
XRT91L30IQTR	QFP	64 (10x10mm)	1	3
XRT91L30IQ-F	QFP	64 (10x10mm)	1	3
XRT91L30IQTR-F	QFP	64 (10x10mm)	1	3
XRT91L31IQ	QFP	64 (10x10mm)	1	3
XRT91L31IQ-F	QFP	64 (10x10mm)	1	3
XRT91L31IQTR-F	QFP	64 (10x10mm)	1	3
ST16C654CQ100-F	QFP	100 (14x20mm)	2a	3
ST16C654CQ100TR-F	QFP	100 (14x20mm)	2a	3
ST16C654IQ100-F	QFP	100 (14x20mm)	2a	3
ST16C654IQ100TR-F	QFP	100 (14x20mm)	2a	3

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION



PRODUCT CHANGE NOTICE

PRODUCT PART #	PACKAGE TYPE	LEAD COUNT (body size)	MSL	
			FROM	TO
XR16C854CQ-F	QFP	100 (14x20mm)	2a	3
XR16C854CQTR-F	QFP	100 (14x20mm)	2a	3
XR16C854IQ-F	QFP	100 (14x20mm)	2a	3
XR16C854IQTR-F	QFP	100 (14x20mm)	2a	3
XR16C864CQ-F	QFP	100 (14x20mm)	2a	3
XR16C864CQTR-F	QFP	100 (14x20mm)	2a	3
XR16C864IQ-F	QFP	100 (14x20mm)	2a	3
XR16C864IQTR-F	QFP	100 (14x20mm)	2a	3
XR16V598IQ100-F	QFP	100 (14x20mm)	2a	3
XR16V598IQ100TR-F	QFP	100 (14x20mm)	2a	3
XR16V698IQ100-F	QFP	100 (14x20mm)	2a	3
XR16V698IQ100TR-F	QFP	100 (14x20mm)	2a	3
XRT72L50IQ-F	QFP	100 (14x20mm)	2a	3
XRT72L50IQTR-F	QFP	100 (14x20mm)	2a	3

PROPRIETARY INFORMATION

THIS DOCUMENT CONTAINS INFORMATION WHICH IS THE EXCLUSIVE PROPERTY OF EXAR CORPORATION. DISTRIBUTION, REPRODUCTION OR USE BY OTHERS IS NOT PERMITTED WITHOUT THE EXPRESS WRITTEN AUTHORIZATION OF EXAR CORPORATION